



**ZK6126HG**



# Specifications



ZK6126HG

Basic parameters	
Length (mm)	12170
Width (mm)	2550
Height (mm)	3180
Inner height (mm)	2470
Wheelbase (mm)	6000
Front/rear overhang (mm)	2740/3430
Tire	295/80R22.5
Min turning diameter (m)	21.5
Standard number of seats	32-48
Max passenger capacity	90
Fuel tank (L)	250
Max manufacturer's total mass (kg)	18500
Front/rear axle (kg)	6400/12100
New energy power system	
Rated power (kW/rpm)	199
Rated torque (N·m/rpm)	1100
Displacement (L)	7.2
Emission	Euro V
Seat	
Wheelchair area (city bus)	●
Full air suspended driver seat	●
Passenger seat	CS001/YT15A

<b>Interior</b>		
Rear driver guardrail + decorative glass		●
PU air duct		●
Curtain		○
PVC passenger seat		○
Manual wheelchair ramp		●
Roof hatch without ventilator		●
<b>Exterior</b>		
First passenger door: double-leaf in-swing door		●
Second passenger door: double-leaf in-swing door		●
Peony green fully-enclosed side window		●
White single-layer glass sliding driver window		●
Left/right split front windshield laminated glass		●
Rear windshield light gray tempered bonded glass		●
<b>A/C</b>		
A/C	Cooling-only	
Defroster	Natural wind	
<b>Chassis</b>		
Axle	Front and rear disc brakes	
Air suspension		●
ECAS electronic control lifting		●
LHD		●
EPB		●
<b>Safety and driver assistance system</b>		
ABS+EPB		●
Tire pressure alarm (front tire only)		○
Manual lever-type rear-view mirror		●
Reversing radar		○
Two 5KG fire extinguishers		●
Two automatic fire extinguishing bombs in engine compartment		●
<b>Audio-video entertainment and lighting</b>		
Daytime running light		●
Front top 22-inch HD display		○
Front destination board		○
CCTV		●
Headlamp, LED		●

● Standard ○ Optional – N/A



## Yutong Bus Co. Ltd.

Yutong Marketing Center Economic and Technological Development Zone Zhengzhou China

Tel: +86 371 6671 8999 Website: [www.yutong.com](http://www.yutong.com) E-mail: [sales@yutong.com](mailto:sales@yutong.com) Follow us on Facebook & Twitter & YouTube at Yutong Bus & Coach

The images may include items of optional equipment and accessories that are not installed as standard. The product is subject to technical improvement.

Yutong reserves the right to change product specifications without prior notice.

All rights reserved. November 2025 Edition.