



D7



Specifications



D7

| Basic parameters | |
|---------------------------------------|--|
| Length (mm) | 7190 |
| Width (mm) | 2240 |
| Height (mm) | 2900 |
| Inner height (mm) | 1900 |
| Wheelbase (mm) | 3935 |
| Front/rear overhang (mm) | 1190/2065 |
| Tire | 235/75R17.5 |
| Max vehicle speed (km/h) | 100 |
| Minimum turning diameter (m) | ≤16 |
| Standard number of seats | 27+1 |
| Max number of seats | 28 |
| Fuel tank | 120L |
| Max luggage compartment capacity (m³) | 1 |
| Max manufacturer's total mass (kg) | 8100 |
| Front/rear axle (kg) | 3100/5000 |
| Powertrain | |
| Engine model | ISF3.8s4R154 |
| Rated power (kW/rpm) | 115/2600 |
| Rated torque (N·m/rpm) | 500/1200-1900 |
| Displacement (L) | 3.76 |
| Emission | Euro IV |
| Seat | |
| Driver seat | 3-point semi air-suspended driver seat |
| Passenger seat belt | 2-point common seat belt |

| | |
|---|---------------------------------|
| Interior | |
| Curtain | ○ |
| Luggage rack | ○ |
| Roof hatch | ● |
| Exterior | |
| Passenger door | ○ Remote control passenger door |
| Side window glass | ● Fully enclosed glass |
| Driver window | Sliding driver window |
| Front windshield | Laminated glass |
| Rear windshield | Tempered glass |
| A/C | |
| Cooling-only | ● |
| Chassis | |
| Axle | Front disc & rear drum |
| Suspension | Few-leaf spring |
| Steering wheel | LHD |
| EPB | ● |
| Safety and driver assistance system | |
| Electronic Stability Control (ESC) system | ● ABS |
| Tire Pressure Monitoring System (TPMS) | ○ |
| Reversing radar | ○ |
| Fire extinguisher device | One powder extinguisher |
| Audio-video entertainment and lighting | |
| Play system | ○ HD video player |
| Microphone | ○ |
| CCTV | ● |
| Headlamp/taillamp | LED |

● Standard ○ Optional – N/A



Yutong Bus Co. Ltd.

Yutong Marketing Center Economic and Technological Development Zone Zhengzhou China

Tel: +86 371 6671 8999 Website: www.yutong.com E-mail: sales@yutong.com Follow us on Facebook & Twitter & YouTube at Yutong Bus & Coach

The images may include items of optional equipment and accessories that are not installed as standard. The product is subject to technical improvement.

Yutong reserves the right to change product specifications without prior notice.

All rights reserved. November 2025 Edition.