



YUTONG C9

PREMIUM 9-METER COACH



Specifications



Basic parameters	
Length (mm)	8,970
Width (mm)	2,550
Height (mm)	3,480
Inner height (mm)	1,900
Wheelbase (mm)	4,300
Front/rear overhang (mm)	1,905/2,765
Tire size	10R22.5
Minimum turning diameter (m)	17.5
Maximum seats	37+1+1
Fuel tank	260L
Maximum luggage compartment volume (m³)	4
Maximum manufacturer's total mass (kg)	12,900
Front/middle/rear axle (kg)	3,950/8,950
Powertrain	
Engine model	YC6A270-50, YCK08280-30
Transmission	6-speed manual
Rated power	199/206
Rated torque	1,100/1,000
Displacement (L)	7.52/7.698
Emission	Euro V, Euro III
Retarder	<input type="radio"/>
Seat	
Driver seat	<input checked="" type="radio"/> Full air suspended <input type="radio"/> Semi air suspended
Guide seat	<input checked="" type="radio"/>
Passenger seat	<input checked="" type="radio"/> 2-point retracting belts

Interior	
Curtain	<input checked="" type="radio"/>
Integral inner luggage rack	<input checked="" type="radio"/>
Roof hatch	<input checked="" type="radio"/> With ventilator
Exterior	
First passenger door	<input checked="" type="radio"/>
Fully enclosed glass	<input checked="" type="radio"/>
Driver window	<input checked="" type="radio"/>
Front windshield	<input checked="" type="radio"/> Single panel <input type="radio"/> Left and right panels
Tempered glass bonded rear windshield	<input checked="" type="radio"/>
Manual tilt-up door for luggage compartment	<input checked="" type="radio"/>
Upward swing door for luggage compartment	<input type="radio"/>
A/C	
Only cooling	<input checked="" type="radio"/>
Natural wind defroster	<input checked="" type="radio"/>
Chassis	
Axle	<input checked="" type="radio"/> Front and rear disc brakes, front axle 4.5T, rear axle 9.5T
Air suspension	<input checked="" type="radio"/>
ECAS	<input type="radio"/>
Steering wheel	<input checked="" type="radio"/> Left hand drive
EPB	<input checked="" type="radio"/>
Safety and driving assistance system	
Brake safety system	<input checked="" type="radio"/> ABS
Tire Pressure Monitoring System (TPMS)	<input type="radio"/>
Reversing radar	<input type="radio"/>
Fire extinguishing device	<input checked="" type="radio"/>
Link + Free system	<input checked="" type="radio"/>
Audio-visual entertainment and lighting	
Play system	<input checked="" type="radio"/> 7-inch integrated central control <input type="radio"/> 10.4-inch integrated central control
Microphone	<input checked="" type="radio"/> 1 wired microphone
On-board Wi-Fi	<input type="radio"/>
LED light for steps	<input checked="" type="radio"/>
Headlamp	<input checked="" type="radio"/> LED <input type="radio"/> Halogen

Standard Optional



Yutong Bus Co., Ltd.

Yutong Marketing Center, Economic and Technological Development Zone, Zhengzhou, China,

Tel: +86 371 6671 8999 Website: www.yutong.com E-mail: sales@yutong.com Follow us on Facebook & X & YouTube at Yutong Bus & Coach

The images may include items of optional equipment and accessories that are not installed as standard. The product is subject to technical improvement.

Yutong reserves the right to change product specifications without prior notice.

All rights reserved. April, 2025 Edition.