



D8E



Specifications



D8E

Basic parameters	
Length (mm)	7730
Width (mm)	2410
Height (mm)	3160
Inner height (mm)	1930
Wheelbase (mm)	4350
Front/rear overhang (mm)	1250/2130
Tire	235/75R17.5
Max speed	100
Max number of seats	28+1
Max passenger capacity	29
Max luggage compartment capacity (m³)	0.5
Max manufacturer's total mass (kg)	9400
Front/rear axle (kg)	3200/6200
Floor type	Flat floor
New energy power system	
Battery (kWh)	176.04
Rated power (kW)	120
Rated torque (N·m)	1200
Max gradeability	25% (20km/h, 120s)
Charging socket	One on each side
Seat	
Passenger seat	Full PVC seat
Passenger seat	Two-point retractable seat belt
Driver seat	3-point semi air-suspended seat

Interior		
Soft cloth vertical strip curtain		●
Roller window shade		○
Roof hatch	One with ventilator	
Exterior		
Passenger door	Remote control tempered glass out-swing door	
Side window glass	Fully-enclosed glass	
Driver window	Movable built-in driver window	
Front windshield	Laminated glass	
Rear windshield	Tempered glass	
A/C		
Cooling-only A/C		●
Chassis		
Front axle	Front disc	
Drive axle	Rear disc	
Air suspension	Few-leaf spring	
Steering wheel	LHD	
EPB		●
Safety and driver assistance system		
Electronic Stability Control (ESC) system	EBS+ESC	
Tire Pressure Monitoring System (TPMS)		○
360° panoramic view system		○
Audio-video entertainment and lighting		
Play system	Integrated central control (player + reverse monitoring)	
Microphone	● No mic ○ 1 gooseneck mic	
CCTV		○
Headlamp/taillamp	LED	

● Standard ○ Optional – N/A



Yutong Bus Co. Ltd.

Yutong Marketing Center, Economic and Technological Development Zone, Zhengzhou, China

Tel: +86 371 6671 8999 Website: www.yutong.com E-mail: sales@yutong.com Follow us on Facebook & X & YouTube at Yutong Bus & Coach

The images may include items of optional equipment and accessories that are not installed as standard. The product is subject to technical improvement.

Yutong reserves the right to change product specifications without prior notice.

All rights reserved. November 2025 Edition.