



YUTONG C11

PREMIUM 11-METER COACH



Specifications



Basic parameters

Length (mm)	10,990
Width (mm)	2,550
Height (mm)	3,640 (air spring)/3,680 (leaf spring)
Inner height (mm)	1,980
Wheelbase (mm)	5,550
Front/rear overhang (mm)	2,290/3,150
Tire size	11R22.5
Minimum turning diameter (m)	20
Maximum seats	49+1+1
Fuel tank	260L
Maximum luggage compartment volume (m ³)	7
Maximum manufacturer's total mass (kg)	15,900
Front/middle/rear axle (kg)	4,970/10,930

Powertrain

Engine model	YC6L310-50, YC6L310-30
Transmission	6-speed manual
Rated power	228
Rated torque	1,150
Displacement (L)	8.424
Emission	Euro V, Euro III
Retarder	●

Seat

Driver seat	● Full air suspended ○ Semi air suspended
Guide seat	●
Passenger seat	● 2-point retracting belts

Interior	
Curtain	●
Integral inner luggage rack	●
Roof hatch	● With ventilator
Exterior	
First passenger door	●
Fully enclosed glass	●
Driver window	●
Front windshield	● Left and right panels ○ Single panel
Tempered glass bonded rear windshield	●
Manual tilt-up door for luggage compartment	○
Upward swing door for luggage compartment	●
A/C	
Only cooling	●
Natural wind defroster	●
Chassis	
Axle	● Front and rear disc brakes, front axle 5.5T, rear axle 11.5T
Air suspension	●
Leaf spring suspension	○
ECAS	○
Steering wheel	● Left hand drive
EPB	●
Safety and driving assistance system	
Brake safety system	● ABS
Driver Drowsiness and Attention Warning (DDAW)	○
Tire Pressure Monitoring System (TPMS)	○
Fire extinguishing device	●
Link + Free system	●
Audio-visual entertainment and lighting	
Play system	● 7-inch integrated central control ○ 10.4-inch integrated central control
Microphone	● 1 wired microphone
LED light for steps	●
Headlamp	● LED ○ Halogen

● Standard ○ Optional



Yutong Bus Co., Ltd.

Yutong Marketing Center, Economic and Technological Development Zone, Zhengzhou, China,

Tel: +86 371 6671 8999 Website: www.yutong.com E-mail: sales@yutong.com Follow us on Facebook & Twitter & YouTube at Yutong Bus & Coach

The images may include items of optional equipment and accessories that are not installed as standard. The product is subject to technical improvement.

Yutong reserves the right to change product specifications without prior notice.

All rights reserved. April, 2025 Edition.